




## Cardiology - Critical Care Product Catalog



**ORTHOVAC™**  
SUCTION SYSTEM



**PULSE OXIMETRY**  
SENSORS



**VENI-GARD®**  
I.V. STABILIZATION DRESSINGS



**HYFRECTOR® 2000**  
ELECTROSURGICAL SYSTEM



To order these and other  
innovative products,  
call **800-448-6506** or  
visit **CONMED.com**.



Ordering Information.....	2
---------------------------	---

## Cardiology

### Multi-Function Electrodes (PadPro®)

Electrodes with ZOLL® Connector.....	4
Electrodes with Physio-Control®	
Quik-Combo® Connector.....	4
Electrodes with Philips Barrel Style Connector.....	5
Electrodes with Philips Plug Style Connector.....	5
Electrodes with Universal/Anderson Connector.....	5

### Adult ECG Electrodes

Adult Tape Conductive Adhesive Electrodes.....	6
General Purpose.....	6
Diagnostic.....	6
Long Term Monitoring.....	7
Adult Tape Wet Gel Electrodes.....	7
Adult Foam Conductive Adhesive Gel Electrodes.....	8
General Purpose.....	8
Diaphoretic.....	9
Adult Foam Wet Gel Electrodes.....	10
General Purpose.....	10
Diaphoretic.....	10
Adult Foam Wet Gel Electrodes - Radiotranslucent.....	10
General Purpose.....	10
Diagnostic.....	10

### Repositionable ECG Electrodes

Repositionable ECG Electrodes – Tape.....	11
Repositionable ECG Electrodes – Cloth.....	11

### Pediatric/Neonatal ECG Electrodes

Pediatric/Neonatal ECG Electrodes –	
Tape With Wire Attached.....	12
Pediatric/Neonatal ECG Electrodes –	
Cloth With Wire Attached.....	12
NEW – Radiolucent (RTL) Leadwires –	
Pre-Attached.....	12
Limb Band.....	12
Pediatric/Neonatal ECG Electrode - Snap Style.....	12

### Specialty ECG Electrodes

ECG Backpads.....	13
ECG Strippers.....	13

### Specialty ECG Accessories

Cables.....	14
Accessories.....	14

### Resting ECG Electrodes and Accessories

Tab Style Electrodes.....	15
Alligator Clip Adapters.....	15
Bi-Directional Clip Adapters.....	15
One Piece Adapter.....	15
Universal Adapter.....	15
Snap Style Electrodes.....	16
Snaptrace® Adapters.....	16

## ECG Cable Systems – R Series

R Series ECG Safety Cable System.....	17
R Series Safety Leadwires.....	17

## ECG Cable Systems – FSR Series

FSR Series Fully Shielded ECG Safety Cable System.....	18
FSR Shielded Safety Leadwires.....	18

## ECG Cable Systems – D Series

D Series Individually Shielded ECG Safety Cable System.....	19
D Series Shielded Safety Leadwires - Snap Style.....	19
D Series Shielded Safety Leadwires - Grabber Style.....	20
Diagnostic Safety Leadwires.....	20

## Radiotranslucent Leadwires

Radiotranslucent Safety Leadwires.....	21
--	----

## Disposable Leadwires

Disposable Leadwires.....	22
---------------------------	----

## Neurology

### EEG Cups

Ambu® Neuroline Disposable EEG Cup Electrodes*.....	24
---	----

## Critical Care Products

### Pulse Oximetry

Pulse Oximetry Sensors.....	25
Disposable Sensors.....	25

### Pulse Oximetry

Reusable Sensors.....	26
Extension Cables and Other Accessories.....	26

### Suction Instruments & Tubing

Yankauer Instruments.....	27
OrthoVAC™ Single-Use Suction System.....	28
Big Yank™ Suction System.....	28
Frazier Instruments.....	29
Poole Instrument.....	30
Sigmoid Instrument.....	30
Suction Connecting Tubing.....	31
Economy Roll ("Bubble").....	32
Male Tubing Connectors.....	32

### I.V. Stabilization Dressings

Veni-Gard® I.V. Stabilization Dressings.....	33, 34
--	--------

### Arm Supports

Armboards.....	35
----------------	----

### I.V. Gravity Flow Controllers

STAT 2® Gravity Flow Controller.....	36
STAT 2 Pumpette Gravity Flow Controller.....	37, 38

\*Product and company names listed are trademarks or trade names of their respective companies.

## To Place Your Order

Please provide a purchase order number, billing and shipping instructions, product catalog number, description, and pricing to:

### Customer Service Within U.S.

Telephone: (800) 448-6506  
(315) 797-8375 ext. 5111

Fax: (800) 438-3051

E-mail: [customerservice@CONMED.com](mailto:customerservice@CONMED.com)

### Customer Service International

Telephone: (315) 797-8375

Fax: (315) 735-6235

Purchase orders should be addressed to CONMED Corporation,  
525 French Road, Utica, NY 13502.

## Quality Systems

All CONMED products are manufactured and produced in compliance with the following quality systems standards:

21CFR 820, US FDA Quality System Regulation

CMDCAS

ISO13485

European MDD, Annex II, V and VII

## Terms and Conditions

All prices and specifications are subject to change without notice. All prices are F.O.B. Utica, New York; Centennial, Colorado; Lithia Springs, Georgia (F.O.B. Drop Shipment Points where applicable).

CREDIT TERMS: Net 30 days.

## Return Goods Policy

All CONMED products, except products that are obsolete, discontinued, or damaged and specialty products, may be returned within 60 days after date of purchase for credit subject to the following:

1. A copy of the invoice number and date of purchase and a Return Authorization Number must accompany the returned goods with the reason for the return stated in writing. Contact CONMED Customer Service for the Return Authorization Number at 1-800-448-6506.
2. All returned goods would be subject to a minimum of 15% restocking charge. The exact amount of credit to be given, if any, will be determined by a Quality Assurance inspection. Sterile packaged products may be returned for a credit only if returned in the original, unopened shelf package.
3. If the return is due to our error in shipping, full credit will be given.
4. All returns should be addressed as indicated by Return Authorization.

## Quality Policy

At CONMED our passion and responsibility is for the success of our customers and the patients for whom they care.

We empower our customers to succeed by our commitment to integrity, quality, responsiveness and a relentless focus to deliver accessible CONMED solutions. Our talented employees and culture are the foundation of our success.



# **CARDIOLOGY** PRODUCTS

## Adult and Pediatric Multifunction Electrodes for Defibrillation/Pacing/Cardioversion/Monitoring

PadPro® electrodes are packaged 1 pair/pouch and 10 pouches (pairs)/case

PadPro electrodes offer a 36 month shelf life



ZOLL®



Physio-Control®

### Multifunction Electrodes with ZOLL® Connector\*

Adult Electrodes	Pad Size	Leadwire	Ref. No.
		Length	
Radiotransparent Pads	6.0 x 4.25"	48"	2001Z
Radiotransparent Pads, pre-connect packaging	6.0 x 4.25"	48"	2001Z-PC
Radiotransparent Pads, sterile packaging	6.0 x 4.25"	48"	2502Z
Radiotransparent Pads, carbon leadwires	6.0 x 4.25"	48"	2001Z-C
Radiotranslucent Pads	6.0 x 4.25"	48"	2516Z
Radiotranslucent Pads, pre-connect packaging	6.0 x 4.25"	48"	2516Z-PC

Pediatric and Mini Pediatric Electrodes	Pad Size	Leadwire	Ref. No.
		Length	
Radiotranslucent Pads, Pediatric	4.25 x 2.875"	48"	2603Z
Radiotranslucent Pads, Mini Pediatric	2.5 x 2.125"	24"	2602Z

### Multifunction Electrodes with Physio-Control® Quik-Combo™ Connector\*

Adult Electrodes	Pad Size	Leadwire	Ref. No.
		Length	
Radiotransparent Pads	6.0 x 4.25"	48"	2001M
Radiotransparent Pads, pre-connect packaging	6.0 x 4.25"	48"	2001M-PC
Radiotransparent Pads, sterile packaging	6.0 x 4.25"	48"	2502M
Radiotransparent Pads, carbon leadwires	6.0 x 4.25"	48"	2001M-C
Radiotranslucent Pads	6.0 x 4.25"	48"	2516M
Radiotranslucent Pads, pre-connect packaging	6.0 x 4.25"	48"	2516M-PC

Pediatric and Mini Pediatric Electrodes	Pad Size	Leadwire	Ref. No.
		Length	
Radiotranslucent Pads, Pediatric	4.25 x 2.875"	48"	2603M
Radiotranslucent Pads, Mini Pediatric	2.5 x 2.125"	24"	2602M

\*Product and company names listed are trademarks or trade names of their respective companies. For compatibility refer to Directions for Use.

## Multifunction Electrodes with Philips Barrel Style Connector\*

Adult Electrodes	Pad Size	Leadwire	Ref. No.
		Length	
Radiotransparent Pads	6.0 x 4.25"	48"	2001P
Radiotransparent Pads, pre-connect packaging	6.0 x 4.25"	48"	2001P-PC
Radiotransparent Pads, sterile packaging	6.0 x 4.25"	48"	2502P
Radiotransparent Pads, carbon leadwires	6.0 x 4.25"	48"	2001P-C
Radiotranslucent Pads	6.0 x 4.25"	48"	2516P
Radiotranslucent Pads, pre-connect packaging	6.0 x 4.25"	48"	2516P-PC

Pediatric and Mini Pediatric Electrodes	Pad Size	Leadwire	Ref. No.
		Length	
Radiotranslucent Pads, Pediatric	4.25 x 2.875"	48"	2603P
Radiotranslucent Pads, Mini Pediatric	2.5 x 2.125"	24"	2602P

## Multifunction Electrodes with Philips Plug Style Connector\*

Adult Electrodes	Pad Size	Leadwire	Ref. No.
		Length	
Radiotransparent Pads	6.0 x 4.25"	48"	2001H
Radiotransparent Pads, pre-connect packaging	6.0 x 4.25"	48"	2001H-PC
Radiotransparent Pads, carbon leadwires	6.0 x 4.25"	48"	2001H-C
Radiotranslucent Pads	6.0 x 4.25"	48"	2516H
Radiotranslucent Pads, pre-connect packaging	6.0 x 4.25"	48"	2516H-PC

Pediatric and Mini Pediatric Electrodes	Pad Size	Leadwire	Ref. No.
		Length	
Radiotranslucent Pads, Pediatric	4.25 x 2.875"	48"	2603H
Radiotranslucent Pads, Mini Pediatric	2.5 x 2.125"	24"	2602H

## Multifunction Electrodes with Universal/Anderson Connector\*

Electrodes with the Universal/Anderson Connector can be utilized in environments with multiple brands of defibrillators (via PadPro adapters or PadPro cables)

Adult Electrodes	Pad Size	Leadwire	Ref. No.
		Length	
Radiotransparent Pads	6.0 x 4.25"	48"	2001
Radiotransparent Pads, pre-connect packaging	6.0 x 4.25"	48"	2001-PC
Radiotransparent Pads, sterile packaging	6.0 x 4.25"	48"	2502
Radiotransparent Pads, carbon leadwires	6.0 x 4.25"	48"	2001-C
Radiotransparent Pads, with large-posterior pad	9.0 x 6.0"	48"	2001-EPS
Radiotranslucent Pads	6.0 x 4.25"	48"	2516
Radiotranslucent Pads, pre-connect packaging	6.0"x 4.25"	48"	2516-PC

Pediatric and Mini Pediatric Electrodes	Pad Size	Leadwire	Ref. No.
		Length	
Radiotranslucent Pads, Pediatric	4.25 x 2.875"	48"	2603
Radiotranslucent Pads, Mini Pediatric	2.5 x 2.125"	24"	2602



Philips Barrel



Philips Plug



Universal/Anderson

\*Product and company names listed are trademarks or trade names of their respective companies. For compatibility, refer to Directions For Use.



1700



MR

1700C



1750

With a variety of shapes, sizes, types, gels, materials, adhesion levels, and applications to offer, CONMED can meet all your ECG electrode monitoring needs. One company with one goal — to satisfy the customer in the most cost effective method possible.

## Adult Tape Conductive Adhesive Electrodes

Clear NeoDerm® tape allows visual monitoring of the patient's skin condition at all times. Perforated tape permits skin ventilation and moisture evaporation for increased patient comfort. Conforms to patient's body without pulling on their skin. Will not absorb fluids. Not made with natural rubber latex.

## General Purpose

The Cleartrace® electrode is offered with a durable metal snap or a carbon-based radiotranslucent snap (RTL).

<b>Cleartrace®</b>	Size: 1.75 in. (4.4 cm) diameter	Ref. No.
1/pouch, 30 pouches/box, 20 boxes/case, 600 electrodes/case		1700-001
3/pouch, 10 pouches/box, 20 boxes/case, 600 electrodes/case		1700-003
4/pouch, 150 pouches/case, 600 electrodes/case		1700-004
5/pouch, 10 pouches/box, 12 boxes/case, 600 electrodes/case		1700-005
7/pouch, 50 pouches/case, 350 electrodes/case		1700-007
10/pouch, 100 pouches/case, 1,000 electrodes/case		1700-010
30/pouch, 20 pouches/case, 600 electrodes/case		1700-030
50/pouch, 20 pouches/case, 1,000 electrodes/case		1700-050

<b>Cleartrace® RTL Radiotranslucent</b>	Size: 1.75 in. (4.4 cm) diameter	Ref. No.
3/pouch, 10 pouches/box, 20 boxes/case, 600 electrodes/case		1700C-003
5/pouch, 10 pouches/box, 12 boxes/case, 600 electrodes/case		1700C-005
10/pouch, 100 pouches/case, 1,000 electrodes/case		1700C-010
50/pouch, 20 pouches/case, 1,000 electrodes/cases		1700C-050

## Diagnostic

All of the same features of the Cleartrace® electrode, but with a more aggressive adhesive for diagnostic applications.

<b>Cleartrace® Diagnostic</b>	Size: 1.75 in. (4.4 cm) diameter	Ref. No.
5/pouch, 10 pouches/box, 12 boxes/case, 600 electrodes/case		1750-005
30/pouch, 20 pouches/case, 600 electrodes/case		1750-030

*The Difference is Clear®*

## Long Term Monitoring

Square/oval shape adds "staying power" to the design — up to seven days of use. Available with a metal snap (Cleartrace® 2 LT) or a carbon snap for radiotranslucent monitoring (Cleartrace® 2–2700).

<b>Cleartrace® 2 Radiotranslucent</b>	Size: 2 in. (5.1 cm) diameter	Ref. No.
1/pouch, 30 pouches/box, 20 boxes/case, 600 electrodes/case		2700-001
3/pouch, 10 pouches/box, 20 boxes/case, 600 electrodes/case		2700-003
5/pouch, 10 pouches/box, 12 boxes/case, 600 electrodes/case		2700-005
30/pouch, 20 pouches/case, 600 electrodes/case		2700-030

<b>Cleartrace® 2 LT</b>	Size: 2 in. (5.1 cm) diameter	Ref. No.
1/pouch, 30 pouches/box, 20 boxes/case, 600 electrodes/case		2710-001
3/pouch, 10 pouches/box, 20 boxes/case, 600 electrodes/case		2710-003
5/pouch, 10 pouches/box, 12 boxes/case, 600 electrodes/case		2710-005
30/pouch, 20 pouches/case, 600 electrodes/case		2710-030

## Adult Tape Wet Gel Electrodes

Wet gel formulation for strong signals and stable baselines. Available with radiotranslucent (Invisatrace®—1680) carbon or metal snap (Ultratrace®—1690). Tab for easy application and removal. Clear NeoDerm® tape gives patient comfort and fluid proof performance. Ability to monitor skin condition at all times.

<b>Invisatrace® Radiotranslucent</b>	Size: 1.8 in. (4.6 cm) diameter	Ref. No.
1/pouch, 30 pouches/box, 20 boxes/case, 600 electrodes/case		1680-001
3/pouch, 10 pouches/box, 20 boxes/case, 600 electrodes/case		1680-003
5/pouch, 10 pouches/box, 12 boxes/case, 600 electrodes/case		1680-005
30/pouch, 20 pouches/case, 600 electrodes/case		1680-030

<b>Ultratrace®</b>	Size: 1.8 in. (4.6 cm) diameter	Ref. No.
1/pouch, 30 pouches/box, 20 boxes/case, 600 electrodes/case		1690-001
3/pouch, 10 pouches/box, 20 boxes/case, 600 electrodes/case		1690-003
5/pouch, 10 pouches/box, 12 boxes/case, 600 electrodes/case		1690-005
50/pouch, 20 pouches/case, 1,000 electrodes/case		1690-010
30/pouch, 20 pouches/case, 600 electrodes/case		1690-030



*The Difference is Clear®*



3600



3600C

MR



1800



1800C

MR

## Adult Foam Conductive Adhesive Gel Electrodes

Closed cell foam keeps fluids from penetrating. Pull-tab makes it easy to apply and remove the electrode. Available in general purpose and diaphoretic adhesive.

### General Purpose

NEW – For an economical solution for facility wide utilization, the rectangular shape and size of the NEW Omnitrace® and Omnitrace RTL electrodes, provides optimum adhesion and functionality for use up to three days. Unlike all other adult ECG electrodes that have a shelf life limitation of 30 days once the sealed pouch is opened, the Omnitrace and Omnitrace RTL electrodes offer a shelf life of 45 days

<b>Omnitrace</b>	Size: 1.75 in. (4.45 cm) x 1.25 in (3.17 cm)	Ref. No.
3/pouch, 30 pouches/box, 600 electrodes/case		3600-003
5/pouch, 50 pouches/box, 600 electrodes/case		3600-005
50/pouch, 600 electrodes/case, 1000 electrodes/case		3600-050

<b>Omnitrace RTL</b>	Size: 1.75 in. (4.45 cm) x 1.25 in (3.17 cm)	Ref. No.
3/pouch, 30 pouches/box, 600 electrodes/case		3600C-003
5/pouch, 50 pouches/box, 600 electrodes/case		3600C-005
50/pouch, 600 electrodes/case, 1000 electrodes/case		3600C-050

The small, tear-drop shape of the Suretrace® and Suretrace RTL electrodes provides flexibility for electrode placement and adequate adhesion for general purpose monitoring applications.

<b>Suretrace</b>	Size: 1.8 in. (4.4 cm)	Ref. No.
1/pouch, 30 pouches/box, 20 boxes/case, 600 electrodes/case		1800-001
3/pouch, 10 pouches/box, 20 boxes/case, 600 electrodes/case		1800-003
5/pouch, 10 pouches/box, 12 boxes/case, 600 electrodes/case		1800-005
30/pouch, 20 pouches/case, 600 electrodes/case		1800-030
50/pouch, 20 pouches/case, 1,000 electrodes/case		1800-050

<b>Suretrace® RTL Radiotranslucent</b>	Size: 1.8 in. (4.4 cm)	Ref. No.
3/pouch, 10 pouches/box, 22 boxes/case, 600 electrodes/case		1800C-003
5/pouch, 10 pouches/box, 12 boxes/case, 600 electrodes/case		1800C-005
50/pouch, 20 pouches/case, 1,000 electrodes/case		1800C-050



## Diaphoretic

Designed with a larger tear-drop shape and a more robust foam adhesive, the Positrac<sup>®</sup> and Positrac RTL electrodes provide a more aggressive adhesive for more challenging or diaphoretic applications.

<b>Positrac<sup>®</sup> Diaphoretic</b>	Size: 2.0 in. (5.1 cm) diameter	Ref. No.
1/pouch, 30 pouches/box, 20 boxes/case, 600 electrodes/case		1870-001
3/pouch, 10 pouches/box, 20 boxes/case, 600 electrodes/case		1870-003
5/pouch, 10 pouches/box, 12 boxes/case, 600 electrodes/case		1870-005
30/pouch, 20 pouches/case, 600 electrodes/case		1870-030
50 pouch, 20 pouches/case, 1,000 electrodes/case		1870-050

<b>Positrac<sup>®</sup> RTL Diaphoretic Radiotranslucent</b>	Size: 2.0 in. (5.1 cm) diameter	Ref. No.
3/pouch, 10 pouches/box, 20 boxes/case, 600 electrodes/case		1870C-003
4/pouch, 10 pouches/box, 15 boxes/case, 600 electrodes/case		1870C-004
5/pouch, 10 pouches/box, 12 boxes/case, 600 electrodes/case		1870C-005
50/pouch, 20 pouches/case, 1,000 electrodes/case		1870C-050



1870



1870C

MR



1510



1590



MR

1500



MR

1550



MR

1555

## Adult Foam Wet Gel Electrodes

Wet gel electrodes for quick signal acquisition. Available in general purpose and diaphoretic adhesive formulations for all application levels.

### General Purpose

<u>Exactrace Size:</u>	<u>Size: 2.0 in. (5.1 cm) diameter</u>	<u>Ref. No</u>
1/pouch, 30 pouches/box, 20 boxes/case, 600 electrodes/case		1510-001
3/pouch, 10 pouches/box, 20 boxes/case, 600 electrodes/case		1510-003
5/pouch, 10 pouches/box, 12 boxes/case, 600 electrodes/case		1510-005
30/pouch, 20 pouches/case, 600 electrodes/case		1510-030

### Diaphoretic

<u>Instatrace® Diaphoretic</u>	<u>Size: 2.0 in. (5.1 cm) diameter</u>	<u>Ref. No</u>
1/pouch, 30 pouches/box, 20 boxes/case, 600 electrodes/case		1590-001
3/pouch, 10 pouches/box, 20 boxes/case, 600 electrodes/case		1590-003
5/pouch, 10 pouches/box, 12 boxes/case, 600 electrodes/case		1590-005
30/pouch, 20 pouches/case, 600 electrodes/case		1590-030

## Adult Foam Wet Gel Electrodes - Radiotranslucent

Wet gel electrode for quick signal retention. Available in general purpose and diaphoretic adhesion for all levels of application. Dyna/Trace® mini is designed to be used along the V-leads, thereby reducing the need to overlap. Radiotranslucent snap.

### General Purpose

<u>Dyna/Trace® Foam Wet Gel</u>	<u>Size: 1.9 in. (4.8 cm) diameter</u>	<u>Ref. No</u>
1/pouch, 30 pouches/box, 20 boxes/case, 600 electrodes/case		1500-001
3/pouch, 10 pouches/box, 20 boxes/case, 600 electrodes/case		1500-003
4/pouch, 10 pouches/box, 12 boxes/case, 480 electrodes/case		1500-004
5/pouch, 10 pouches/box, 12 boxes/case, 600 electrodes/case		1500-005
30/pouch, 20 pouches/case, 600 electrodes/case		1500-030

### Diagnostic

<u>Dyna/Trace® Stress</u>	<u>Size: 2.0 in. (5.1 cm) diameter</u>	<u>Ref. No</u>
5/pouch, 10 pouches/box, 12 boxes/case, 600 electrodes/case		1550-005
<u>Dyna/Trace® Mini Stress</u>	<u>Size: 1.5 in. (3.8 cm) diameter</u>	<u>Ref. No</u>
5/pouch, 10 pouches/box, 12 boxes/case, 600 electrodes/case		1555-005



## Repositionable ECG Electrodes – Tape

Specially formulated conductive adhesive gel does not dry out and allows for extended wear without irritating the patient's skin. Transparent tape allows visual monitoring of the skin under the electrode. Cleartrode is rewettable for cost-effective, long-term use and ease of application and removal.

- Available with durable metal snap or carbon-based radiotranslucent (RTL) snap.

<b>Cleartrode</b>	Size: 1 in. (2.5 cm) diameter	Ref. No.
3/pouch, 100 pouches/case, 300 electrodes/case		1720-003

<b>Cleartrode RTL Radiotranslucent</b>	Size: 1 in. (2.5 cm) diameter	Ref. No.
3/pouch, 100 pouches/case, 300 electrodes/case		1720C-003

## Repositionable ECG Electrodes – Cloth

- Soft fabric material and mild conductive adhesive provide secure, comfortable electrode contact.
- Humidity has little effect on Softrace® electrodes' ability to stick or to be removed without damaging fragile skin.
- Specially formulated conductive adhesive gel does not dry out and allows for extended wear without irritating the patient's skin.
- Softrace® electrodes are rewettable for cost-effective long term use and ease of application and removal.
- Available with durable metal snap or carbon-based radiotranslucent (RTL) snap.
- Available in three sizes (small, medium and large) for optimal placement and application for all patient sizes.
- PVC free.

<b>Softrace® Small</b>	Size: .88 in (2.24 cm) X .88 in (2.24 cm)	Ref. No.
3/pouch, 100 pouches/case, 300 electrodes/case		2320-003

<b>Softrace® Small RTL Radiotranslucent</b>	Size: .88 in (2.24 cm) X .88 in (2.24 cm)	Ref. No.
3/pouch, 100 pouches/case, 300 electrodes/case		2320C-003

<b>Softrace® Medium</b>	Size: 1.25 in (3.175 cm) X .9 in (2.28 cm)	Ref. No.
3/pouch, 100 pouches/case, 300 electrodes/case		2330-003

<b>Softrace® Medium RTL Radiotranslucent</b>	Size: 1.25 in (3.175 cm) X .9 in (2.28 cm)	Ref. No.
3/pouch, 100 pouches/case, 300 electrodes/case		2330C-003

<b>Softrace® Large</b>	Size: 1.25 in (3.175 cm) X 1.25 in (3.175 cm)	Ref. No.
3/pouch, 100 pouches/case, 300 electrodes/case		2350-003
5/pouch, 120 pouches/case, 600 electrodes/case		2350-005

<b>Softrace® Large RTL Radiotranslucent</b>	Size: 1.25 in (3.175 cm) X 1.25 in (3.175 cm)	Ref. No.
3/pouch, 100 pouches/case, 300 electrodes/case		2350C-003
5/pouch, 120 pouches/case, 600 electrodes/case		2350C-005



Cleartrode



Cleartrode RTL

MR



Softrace® Small



Softrace® Small RTL

MR



Softrace® Medium



Softrace® Medium RTL

MR



Softrace® Large



Softrace® Large RTL

MR



1731-003

1741-003



1731C-003

1741C-003



2321-003

2331-003



2321C-003

2331C-003



2310-003



1620

## Pediatric/Neonatal ECG Electrodes – Tape With Wire Attached

Color-coded attached leadwire system for an easy to use, totally disposable system. Conductive adhesive gel does not dry out and allows for extended wear without irritating the child's skin.

Transparent tape allows visual monitoring of the skin under the electrode. Neotrode is rewettable for cost-effective long term use and ease of application and removal.

<b>Neotrode®</b>	Size: 1.0 in (2.5 cm) x 1.0 in (2.5 cm)	Ref. No.
3/pouch, 100 pouches/case, 300 electrodes/case		1731-003

<b>Neotrode II</b>	Size: 1.0 in (2.5 cm) x 1.2 in (3.0 cm)	Ref. No.
3/pouch, 100 pouches/case, 300 electrodes/case		1741-003

## New – Radiolucent (RTL) Leadwires Pre-Attached

<b>Neotrode RTL</b>	Size: 1.0 in (2.5 cm) x 1.0 in (2.5 cm)	Ref. No.
3/pouch, 100 pouches/case, 300 electrodes/case		1731C-003

<b>Neotrode II RTL</b>	Size: 1.0 in (2.5 cm) x 1.2 in (3.0 cm)	Ref. No.
3/pouch, 100 pouches/case, 300 electrodes/case		1741C-003

## Pediatric/Neonatal ECG Electrodes – Cloth With Wire Attached

Soft fabric backing and mild conductive adhesive provide secure, comfortable electrode contact. Small size and extremely low profile increases your placement options. Humidity has little effect on Softrace® electrodes' ability to stick or to be removed without damaging fragile skin. Available in two sizes for differing size requirements.

<b>Softrace Neonatal</b>	Size: .88 in. (2.24 cm) X .88 in (2.24 cm)	Ref. No.
3/pouch, 100 pouches/case, 300 electrodes/case		2321-003

<b>Softrace Pediatric</b>	Size: 1.19 in. (3.02 cm) X .88 in (2.24 cm)	Ref. No.
3/pouch, 100 pouches/case, 300 electrodes/case		2331-003

## New – Radiolucent (RTL) Leadwires Pre-Attached

<b>Softrace Small RTL</b>	Size: .88 in. (2.24 cm) X .88 in (2.24 cm)	Ref. No.
3/pouch, 100 pouches/case, 300 electrodes/case		2321C-003

<b>Softrace Medium RTL</b>	Size: 1.19 in. (3.02 cm) X .88 in (2.24 cm)	Ref. No.
3/pouch, 100 pouches/case, 300 electrodes/case		2331C-003

## Limb Band

Limb band can be applied and secured to baby's arms and legs when ample chest space is not available. Ideal for infants who are highly active. Soft fabric backing and mild conductive adhesive provide secure, comfortable electrode contact. Humidity has little effect on Softrace electrodes' ability to stick or to be removed without damaging fragile skin.

<b>Softrace® Limb Band</b>	Size: 4.7 in (11.9 cm) X 5 in (13 cm)	Ref. No.
3/pouch, 100 pouches/case, 300 limb bands/case.....		2310-003

## Pediatric/Neonatal ECG Electrode - Snap Style

Clear NeoDerm® tape allows visual monitoring of the child's skin condition at all times. Low chloride gel and light adhesive coat weight reduces the possibility of skin irritation. Huggables® hug the skin, minimizing motion artifact. Perforated tape permits skin ventilation and moisture evaporation to increase comfort. Tab provides for easy application and removal. Wet gel formulation is gentle to the skin.

<b>Huggables® Snap Wet Gel</b>	Size: 1.25 in (3.2 cm) diameter	Ref. No.
1/pouch, 30 pouches/box, 20 boxes/case, 600 electrodes/case .....		1620-001
3/pouch, 10 pouches/box, 20 boxes/case, 600 electrodes/case .....		1620-003

## ECG Backpads

- Silver/Silver Chloride Sensors for maximum performance.
- Pre-gelled to ensure quick and easy application.
- Convenient, one step application for ease of patient setup.
- Designed for placement on patient's back to allow maximum exposure of chest area.
- Dense, low profile foam that conforms to patient skin while reducing fluid absorption.
- Generous adhesive area that keeps Backpad in place, even when exposed to OR prep solutions.
- Disposable electrode/leadwire system to eliminate cross contamination.
- Infant and Adult sizes to accommodate all patients.
- Specialty adapters available for 5 lead monitoring and ease in conversion to R series safety leadwires.
- Radiotranslucent electrode for x-ray applications.

### ECG Backpads

Ref. No.

Adult Backpad, 1/pkg, 50/cs

Size: 6.5 in. (16.5 cm) X 7.5 in (19.1 cm) .....01-3130

Infant Backpad, 1/pkg, 50/cs

Size: 3.5 in. (8.9 cm) X 6 in (15.2 cm) .....01-4130

## ECG Strippers

- Closed cell foam electrodes keeps fluids from penetrating.
- Wet gel formula provides quick ECG signal retention.
- Pull tab makes it easy to apply and remove electrode.
- One piece, pre-attached leadwire system to minimize the patient set-up time, leadwire tangling, and eliminate cross contamination.
- "Strippable" leadwire construction so each leadwire can be "stripped" to desired length.

### ECG Strippers

Ref. No.

Adult 5 Lead, 1/pkg, 25/bx, 100/cs

Size: 2.25 in. (5.7 cm) diameter ..... 38-402-1

Adult 4 Lead, 1/pkg, 25/bx, 100/cs

Size: 2.25 in. (5.7 cm) diameter ..... 38-404-1


Note: Above products must be used with a Molex style CONMED cable.




Adult Backpad 01-3130



Infant Backpad 01-4130



4 Lead 38-404-1



5 Lead 38-402-1



38-495-4

## Cables

CONMED ECG Backpads and ECG Strippers utilize a durable, low profile molex style connector compatible only with CONMED ECG cables. Visit our web site ([www.CONMED.com](http://www.CONMED.com)) or contact your local sales representative to determine if CONMED has a cable for your monitoring needs.

### CONMED has got you covered...

Here are some of the more common ECG monitors with a listing of the correct CONMED ECG cables. Visit our website for a complete list of cables.

#### 4 – 5 Lead Configurations

Manufacturer	4 Lead	5 Lead
Datascope 2000/3000/Passport Series	38-464-1	38-464-5
Datex-Ohmeda AS/3, AS/5	38-495-4	38-495-5
GE/Critikon Dinamap Series	38-455-1	38-455-5
GE/Marquette Eagle, Solar, Tram Series	38-466-1	38-406-5
Invivo/MDE Escort Series	38-455-1	38-455-5
Philips/HP with 12 pin connectors	38-485-1	38-448-5
Spacelabs PC Series	38-455-1	38-455-5
Welch Allyn/Protocol Systems	38-455-1	38-455-5


## Accessories

### Fifth Lead Adapter

The 38-610-H adapter allows the customer to use a backpad and one additional electrode at the same time. This permits the monitoring of five electrode sites, where the backpad alone only monitors four sites. The fifth electrode is sometimes referred to as a roving lead because the clinician has the ability to move it to any location. This adapter uses a CONMED R series leadwire that must be ordered separately. **Note: the use of this adapter requires a five lead backpad cable.**

Ref. No.

Fifth Lead Adapter ..... 38-610-H




### R Series Adapter

The 38-620-R adapter allows the customer to convert the backpad/stripper cable into a five lead R series cable. In this way customers who use backpads as well as standard ECG electrodes need only have one cable for both applications. This adapter uses five CONMED R series leadwires that must be ordered separately. **Note: the use of this adapter requires a five lead backpad cable.**

Ref. No.

R Series Adapter ..... 38-620-R



## Tab Style Electrodes

Gel 2000 formulation sticks better and stays moist longer — even when the pouch has been opened. Silver/Silver Chloride provides stable baselines and excellent electrical characteristics. Conductive adhesive gel maintains contact with skin, even on hairy patients.

<b>Fastrace® 4</b>	Size: .9 in (2.3 cm) X .9 in (2.3 cm)	Ref. No.
100/pouch, 10 pouches/case, 1,000 electrodes/case		1915-100

<b>V-Trace®</b>	Size: .9 in (2.3 cm) X .9 in (2.3 cm)	Ref. No.
100/pouch, 40 pouches/case, 4,000 electrodes/case		1935-100

<b>Heartbeat</b>	Size: .75 in (1.9 cm) X .9 in (2.3 cm)	Ref. No.
Gel 2000MP formulation provides improved staying power, but gentle release. Smaller size for pediatrics and adults. Pliable material is more comfortable and prevents lift-off .		
100/pouch, 10 pouches/case, 1,000 electrodes/case		1925-100

## Alligator Clip Adapters

Alligator clip adapters, 6" (15.2cm) long.

	Ref. No.
Banana (4mm) Receptacle.....	ACB
.117" (3mm) Receptacle .....	ACF
.125" (3.2mm) Receptacle .....	ACP

## Bi-Directional Clip Adapters

Bi-directional clip adapters, 6" (15.2cm) long.

	Ref. No.
Banana (4mm) Receptacle.....	HPB-B
.117" (3mm) Receptacle .....	HPF-B
.125" (3.2mm) Receptacle .....	HPP-B

## One Piece Adapter

	Ref. No.
Fits banana (4mm) plugs .....	HPH-BLUE
Fits .125" (3.2mm) pins .....	HPH-RED

## Universal Adapter

	Ref. No.
Fits 3mm and 4mm receptacles.....	UMCL



1915-100



1935-100



1925-100




ACP



HPB-B



HPH-BLUE



UMCL



MR

1920-050



MR

1921-100



Snap Style Electrodes

Snap connector eliminates the need for tab style adapters. Silver/Silver Chloride for excellent electrical performance and defib recovery. Small size for flexibility in placement. Soft foam material conforms to body contours to maintain skin contact.

**Snaptrace®** Size: 1.5 in (3.8 cm) diameter Ref. No.

Wet gel for quick signal acquisition.

50/pouch, 20 pouches/case, 1,000 electrodes/case ..... 1920-050

**Snaptrace® II** Size: 1.75 in (4.5 cm) X .88 in (2.5 cm) Ref. No.

Conductive adhesive gel.

100/pouch, 10 pouches/case, 1,000 electrodes/case..... 1921-100

Snaptrace® Adapters

**Grabber Adapters** Ref. No.

Five 6"/15.2cm adapters: grabber to banana (4mm) receptacle,  
1 each Grn, Red, Wht, Blk, Brn. .... RLB-05

Ten 6"/15.2cm adapters: grabber to banana (4mm) receptacle,  
1 each Grn, Red, Wht, Blk, & 6 Brn with V-Lead grabber caps. .... RLB-10

Five 6"/15.2cm adapters: grabber to .125"/3.2mm receptacle,  
1 each Wht, Grn, Brn, Red, Blk. .... RLP-05

Ten 6"/15.2cm adapters: grabber to .125"/3.2mm receptacle,  
1 each Wht, Grn, Red, Blk, & 6 Brn with V-Lead grabber caps. .... RLP-10


**Snap Adapters** Ref. No.

Ten 6"/15.2cm adapters: snap to banana (4mm) receptacle. ....SNB

Ten 6"/15.2cm adapters: snap to .117"/3.0mm (3mm) receptacle ..... SNF

Ten 6"/15.2cm adapters: snap to .125"/3.2mm receptacle.....SNP

RLB-05



SNP



See ECG Cable Cross Reference Guide for compatibility to specific monitors at CONMED.com

## R Series ECG Safety Cable System


Excellent monitoring results while removing the potential of electrical shock from exposed pins. Provides an inexpensive solution to ECG cable and leadwire needs. Provides the ability to standardize on one cable system throughout the facility. Cables are available in 3 and 5 lead versions. Leadwires are available as snap or grabber in a variety of lengths. Backed by a one year Cable Warranty. Specifically designed to accept the leadwires from CONMED's Pediatric/Neonatal ECG electrodes.

	Ref. No.
3 Lead Cable — Blk, Grn, Wht.....	R3_ _
3 Lead Cable (Lead II) — Blk, Red, Wht.....	R3_ _ II
5 Lead Cable.....	R5_ _

## R Series Safety Leadwires

Designed for use with R-Series safety cables.

	Ref. No.
Three 18"/45.7cm snap leadwires- Blk, Grn, Wht .....	RA18-03
Three 18"/45.7cm snap leadwires- Blk, Red, Wht.....	RA18-03II
Five 18"/45.7cm snap leadwires- Blk, Brn, Grn, Red, Wht .....	RA18-05
Three 24"/61.0cm snap leadwires- Blk, Grn, Wht .....	RA24-03
Three 24"/61.0cm snap leadwires- Blk, Red, Wht.....	RA24-03II
Five 24"/61.0cm snap leadwires- Blk, Brn, Grn, Red, Wht .....	RA24-05
Three 36"/91.4cm snap leadwires- Blk, Grn, Wht .....	RA36-03
Three 36"/91.4cm snap leadwires- Blk, Red, Wht.....	RA36-03II
Five 36"/91.4cm snap leadwires- Blk, Brn, Grn, Red, Wht .....	RA36-05
Seven 36"/91.4cm snap leadwires- Blk, Blu, Brn, Grn, Org, Red, Wht.....	RA36-07
Three 18"/45.7cm grabber leadwires- Blk, Grn, Wht .....	RL18-03
Three 18"/45.7cm grabber leadwires- Blk, Red, Wht.....	RL18-03II
Five 18"/45.7cm grabber leadwires- Blk, Brn, Grn, Red, Wht .....	RL18-05
Three 24"/61.0cm grabber leadwires- Blk, Grn, Wht .....	RL24-03
Three 24"/61.0cm grabber leadwires- Blk, Red, Wht.....	RL24-03II
Five 24"/61.0cm grabber leadwires- Blk, Brn, Grn, Red, Wht .....	RL24-05
Three 36"/91.4cm grabber leadwires- Blk, Grn, Wht .....	RL36-03
Three 36"/91.4cm grabber leadwires- Blk, Red, Wht.....	RL36-03II
Five 36"/91.4cm grabber leadwires- Blk, Brn, Grn, Red, Wht .....	RL36-05




R Series



RA24-05



RL18-05



FSR Series



FSP18-005



FSP24-003

## FSR Series Fully Shielded ECG Safety Cable System

Provides excellent monitoring results with complete shielding from end to end. Provides the ability to standardize to one cable system throughout the facility. Shielded cables and leadwires protect against electrical interference. Cables are available in 3 and 5 lead versions. Leadwire options include a variety of length and snap or grabber connection.

	Ref. No.
FSR 3 Lead Cables — Blk, Grn, Wht .....	FSR3_ _ or FSR13_ _
FSR 3 Lead Cables (Lead II) — Blk, Red, Wht .....	FSR3_ _ R
FSR 5 Lead Cables.....	FSR5_ _ or FSR15_ _

## FSR Shielded Safety Leadwires

Designed for use with FSR safety cables

	Ref. No.
Three 18"/45.7cm snap leadwires - Blk, Grn, Wht .....	FSP18-003
Three 18"/45.7cm snap leadwires - Blk, Red, Wht.....	FSP18-003R
Five 18"/45.7cm snap leadwires - Blk, Brn, Grn, Red, Wht .....	FSP18-005
Three 24"/61.0cm snap leadwires - Blk, Grn, Wht .....	FSP24-003
Three 24"/61.0cm snap leadwires - Blk, Red, Wht.....	FSP24-003R
Five 24"/61.0cm snap leadwires - Blk, Brn, Grn, Red, Wht .....	FSP24-005
Three 40"/101.6cm snap leadwires - Blk, Grn, Wht .....	FSP40-003
Three 40"/101.6cm snap leadwires - Blk, Red, Wht.....	FSP40-003R
Five 40"/101.6cm snap leadwires - Blk, Brn, Grn, Red, Wht .....	FSP40-005
Three 18"/45.7cm grabber leadwires - Blk, Grn, Wht .....	FSA18-003
Three 18"/45.7cm grabber leadwires - Blk, Red, Wht.....	FSA18-003R
Three 24"/61.0cm grabber leadwires - Blk, Grn, Wht .....	FSA24-003
Three 24"/61.0cm grabber leadwires - Blk, Red, Wht.....	FSA24-003R
Five 24"/61.0cm grabber leadwires - Blk, Brn, Grn, Red, Wht .....	FSA24-005
Three 40"/101.6cm grabber leadwires - Blk, Grn, Wht .....	FSA40-003
Three 40"/101.6cm grabber leadwires - Blk, Red, Wht.....	FSA40-003R
Five 40"/101.6cm grabber leadwires - Blk, Brn, Grn, Red, Wht.....	FSA40-005



## D Series Individually Shielded ECG Safety Cable System

Provides excellent monitoring results with individual shielding from end to end. Designed to be used in situations and on equipment where the highest quality noise free signal is required. Provides the hospital with a superior solution to ECG cable and leadwire needs. Provides the ability to standardize to one cable system throughout the facility. Individually shielded cables and leadwires protect against motion artifact and electrical interference. Cables are available in 3, 5, 8, and 10 wire options. Backed by a three year Cable Warranty. Leadwire options include a variety of styles, lengths and connections. Exclusive Lead-Lock mechanism provides positive locking for each individual lead. The original ECG Safety Cable. U.S. Patent Number 4227762.

	Ref. No.
3 Lead Cable — Blk, Grn, Wht.....	D83_ _
3 Lead Cable (Lead II) — Blk, Red, Wht.....	D83_ _II
5 Lead Cable.....	D85_ _
10 Lead Cable.....	D80_ _


## D Series Shielded Safety Leadwires - Snap Style

Designed for use with D Series safety cables

	Ref. No.
Three 24"/61.0cm snap leadwires - Wht, Grn, Blk .....	DA24-03
Three 24"/61.0cm snap leadwires - Wht, Red, Blk.....	DA24-03II
Five 24"/61.0cm snap leadwires - Wht, Red, Brn, Grn, Blk.....	DA24-05
Three 36"/91.4cm snap leadwires - Wht, Grn, Blk .....	DA36-03
Three 36"/91.4cm snap leadwires - Wht, Red, Blk.....	DA36-03II
Five 36"/91.4cm snap leadwires - Wht, Red, Brn, Grn, Blk.....	DA36-05
Three 54"/137.2cm snap leadwires - Wht, Red, Blk .....	DA54-03II
Five 54"/137.2cm snap leadwires - Wht, Red, Brn, Grn, Blk .....	DA54-05
Five 72"/182.9cm snap leadwires - Wht, Red, Brn, Grn, Blk.....	DA72-05




D Series



DA36-05



DL36-10



DP10

## D Series Shielded Safety Leadwires - Grabber Style

Designed for use with D Series shielded safety cables

	Ref. No.
Three 24"/61.0cm grabber leadwires - Wht, Grn, Blk .....	DL24-03
Three 24"/61.0cm grabber leadwires - Wht, Red, Blk.....	DL24-03II
Five 24"/61.0cm grabber leadwires - Wht, Red, Brn, Grn, Blk .....	DL24-05
Six 24"/61.0cm grabber leadwires - V leads.....	DL24-06V
Ten grabber leadwires with 10A colors (Limb leads 36"/91.4cm, Chest leads 24"/61.0cm) .....	DL10
Three 36"/91.4cm grabber leadwires - Wht, Grn, Blk .....	DL36-03
Three 36"/91.4cm grabber leadwires - Wht, Red, Blk.....	DL36-03II
Four 36"/91.4cm grabber leadwires - Wht, Grn, Blk.....	DL36-04
Five 36"/91.4cm grabber leadwires - Wht, Red, Brn, Grn, Blk .....	DL36-05
Six 36"/91.4cm grabber leadwires - V leads.....	DL36-06V
Ten 36"/91.4cm grabber leadwires with 10A colors .....	DL36-10
Ten 48"/121.9cm grabber leadwires with 10A colors .....	DL48-10
Three 54"/137.2cm grabber leadwires - Wht, Grn, Blk.....	DL54-03
Three 54"/137.2cm grabber leadwires - Wht, Red, Blk.....	DL54-03II
Five 54"/137.2cm grabber leadwires - Wht, Red, Brn, Grn, Blk .....	DL54-05
Ten 54"/137.2cm grabber leadwires with 10A colors .....	DL54-10
Three 72"/182.9cm grabber leadwires - Wht, Grn, Blk.....	DL72-03
Four 72"/182.9cm grabber leadwires - Wht, Grn, Blk.....	DL72-04
Five 72"/182.9cm grabber leadwires - Wht, Red, Brn, Grn, Blk.....	DL72-05
Ten 72"/182.9cm grabber leadwires with 10A colors .....	DL72-10

## Diagnostic Safety Leadwires

Designed for use with D Series shielded safety cables

	Ref. No.
Five 36"/91.4cm banana plug leadwires — Wht, Grn, Red, Blk, Brn.....	DB36-05
Ten 36"/91.4cm banana plug leadwires — Wht, Grn, Red, Blk, V1-V6 .....	DB36-10
Five .125" pin style leadwires varying in length as follows:	
1 ea. White RA 35"                      1 ea. Red LL 39"	
1 ea. Black LA 35"                      1 ea. Green RL 39"	
1 ea. Brown C 27".....	DP05
Ten .125" pin style leadwires varying in length as follows:	
1 ea. White RA 35"                      1 ea. Red LL 39"	
1 ea. Black LA 35"                      1 ea. Green RL 39"	
6 ea. Brown V1-V6 27" .....	DP10

## Radiotranslucent Safety Leadwires

Designed for use with D Series Safety Cables

	Ref. No.
Five 36"/91.4cm leadwires – D Series plug to grabber.....	RTD36-05
Five 48"/121.9cm leadwires – D Series plug to grabber.....	RTD48-05
Five 72"/182.9cm leadwires – D Series plug to grabber.....	RTD72-05
Ten 36"/91.4cm leadwires – D Series plug to grabber .....	RTD36-10

Designed for use with R Series Safety Cables

	Ref. No
Five 36"/91.4cm leadwires – .059" safety socket to grabber.....	RTRG36-05
Five 48"/121.9cm leadwires – .059" safety socket to grabber.....	RTRG48-05
Five 72"/182.9cm leadwires – .059" safety socket to grabber.....	RTRG72-05

Designed for use with Banana Plug Style Leadwires

	Ref. No
Five 36"/91.4cm leadwires – .156"/4mm socket to grabber .....	RTBG36-05




RTD48-05 D Series



RTRG48-05 R Series



RTBG36-05 R Series



Disposable Leadwires

Disposable Leadwires

Engineered to help reduce the risk of HAIs that could be caused by reusable leadwires, CONMED's Disposable ECG Leadwires are designed to be a safe, simple and convenient solution that is compatible with a wide range of ECG monitors.

Disposable ECG Leadwires

	Ref. No.
3-Lead, Snap, 72" , 25/case .....	RDA72-03
5-Lead, Snap, 72" , 25/case .....	RDA72-05
3-Lead, Grab, 72" , 25/case .....	RDL72-03
5-Lead, Grab, 72" , 25/case .....	RDL72-05

# NEUROLOGY PRODUCTS



Ambu® Neuroline

**Ambu® Neuroline Disposable EEG Cup Electrodes\***

Ambu® Neuroline single patient cup electrodes provide a disposable option for EEG recordings, which provides no risk of cross contamination and helps reduce the number of healthcare-associated infections. These cup electrodes are coated in high-quality silver/silver chloride and can be used with the most popular gels, pastes, and adhesives.

**Ambu Neuroline Disposable EEG Cup Electrodes**

Ref. No.

Disposable EEG Cup Electrode, 100cm/40" Leadwire length, 10/pouch, 12 pouches/case, 120 electrodes/case .....	72610-M-CM-10
Disposable EEG Cup Electrode, 150cm/60" Leadwire length, 10/pouch, 12 pouches/case, 120 electrodes/case .....	72615-M-CM-10
Disposable EEG Cup Electrode, 200cm/80" Leadwire length, 10/pouch, 12 pouches/case, 120 electrodes/case .....	72620-M-CM-10

# **CRITICAL CARE** PRODUCTS

## Pulse Oximetry Sensors

A complete line of disposable and reusable pulse oximetry sensors designed for use with equipment from major manufacturers including Nellcor®, Datex®, CSI®, Nonin® and others. CONMED's Dolphin line of disposable sensors are clinically tested and validated for accuracy and performance.

### Disposable Sensors

Available in vinyl-, foam- and cloth-adhesive versions for adults, pediatrics, infants and neonates.

	Ref. No.
Adult Vinyl Sensor (Nellcor compatible, C-Shape); 24/case .....	3311-V
Adult Foam Sensor (Nellcor compatible, C-Shape); 24/case .....	3311-F
Adult Vinyl Sensor (Nellcor compatible); 24/Case .....	2311
Adult Vinyl Sensor (Ohmeda compatible); 24/case.....	2321
Adult Vinyl Sensor (Datex compatible); 24/case.....	2331
Adult Vinyl Sensor (CSI compatible); 25/case .....	2341

	Ref. No.
Pediatric Vinyl Sensor (Nellcor compatible, C-Shape); 24/case .....	3312-V
Pediatric Foam Sensor (Nellcor compatible, C-Shape); 24/case .....	3312-F
Pediatric Vinyl sensor (Nellcor compatible)24/Case .....	2312
Pediatric Vinyl Sensor (Ohmeda compatible); 24/case .....	2321
Pediatric Vinyl Sensor (Datex compatible); 24/case .....	2332
Pediatric Vinyl Sensor (CSI compatible); 25/case.....	2342

	Ref. No.
Infant Cloth Sensor (Nellcor compatible, C-Shape); 24/case .....	3313-C
Infant Cloth Sensor (Nellcor compatible); 24/case .....	2313
Infant Cloth Sensor (Ohmeda compatible); 24/case .....	2323
Infant Cloth Sensor (Datex compatible); 24/case .....	2333

	Ref. No.
Neonate Cloth Sensor (Nellcor compatible, C-Shape); 24/case .....	3314-C
Neonate Cloth Sensor (Nellcor compatible); 24/case .....	2314
Neonate Cloth Sensor (Ohmeda compatible); 24/case .....	2323

### Reusable Sensors

Rugged reusable sensors with heavy-duty spring action. Compatible with a number of manufacturers' oximeters.

	Ref. No.
Adult Reusable Finger Clip (Nellcor compatible).....	2010
Adult Reusable Finger Clip (Datex compatible) .....	2030
Adult/Pediatric Y-Site (Nellcor compatible).....	2210


### Extension Cables and Other Accessories

CONMED offers a broad line of cables and acc


	Ref. No.
Nellcor Oximax Adapter Cable.....	2500GM




3311-V




3311-F




3312-V



3312-F



3313-C



3314-C



2010



2500GM



A complete line of quality, disposable Suction Instruments and Tubing to meet your every need. One company, one goal — to satisfy the customer in the most cost-effective method possible.

## Yankauer Instruments

Developed Circa 1907 by Dr. Charles Yankauer, the Yankauer Suction Instrument has become the most common suction instrument in the world. Its primary use is to aspirate fluid and debris from either a surgical site or body orifice (i.e. airway).

All CONMED Yankauer products have these features:

- Large lumen providing rapid aspiration
- Sturdy shatter-resistant construction enabling use for retraction
- Transparency allowing for clear visualization of fluids
- Side eyes to reduce traumatic tissue grab
- Sterile

### Bulb Tip Yankauers

- Available with and without Control Vents
- Available with select tubing pre-attached
- Sterile

<b>Bulb Tip Yankauer</b>	<b>Ref. No.</b>
Without Control Vent, 50/case.....	0034870
With Control Vent, 50/case .....	0034880
Without Control Vent and 6' (1.8m) Tube pre-attached, 20/case.....	0034910
With Control Vent and 6' (1.8m) Tube pre-attached, 20/case .....	0034920
Without Control Vent and 10' (3m) Tube pre-attached, 20/case.....	0034950
With Control Vent and 10' (3m) Tube pre-attached, 20/case .....	0034960
With On/Off Control Switch, 50/case.....	0038730

### Open Tip Yankauers


- Open tip style is ideal for pediatric cases and use by anesthesiologists
- Open tip permits access to tight spaces
- Available with and without Control Vents
- Available with select tubing pre-attached
- Sterile

<b>Open Tip Yankauer</b>	<b>Ref. No.</b>
Without Control Vent, 50/case.....	0034970
With Control Vent, 50/case .....	0034980


### Cardiac Yankauer

- Fluted tip reduces tissue grab and protects against excessive suction
- Lumens extra length (11 1/2" or 29.5cm) affords a longer reach into deep cavities
- Sterile


	<b>Ref. No.</b>
Cardiac Yankauer, 50/case .....	0034470



0034870



0038730



0034970



0034470



Flexible Yankauer

## Flexible Yankauer

Clear, flexible Yankauers are designed to meet all your suction needs. Available in three sizes; regular, large, and fine, they are shatter-resistant with a smooth inner lumen.

- Transparency allows for clear visualization of fluids
- Provides side eye vents to reduce the chance for tissue grab
- Single-use, sterile and non-sterile choices

Ref. No.

Flex Yank without Control Vent, Regular Tip, Bulk, Non Sterile packaging, 50/case.....	0034003
Flex Yank without Control Vent, Large Tip, Bulk, Non Sterile packaging, 50/case.....	0034004
Flex Yank without Control Vent, Fine Tip, Bulk, Non Sterile packaging, 50/case.....	0034005
Flex Yank without Control Vent, Regular Tip, Bulk packaging 400/case.....	9034003
Flex Yank without Control Vent, Large Tip, Bulk packaging 400/case.....	9034004
Flex Yank without Control Vent, Fine Tip, Bulk packaging 400/case.....	9034005

## OrthoVAC™ Single-Use Suction System

For use in orthopedic total knee and hip arthroplasty, the OrthoVAC Single-Use Large Bore Suction System is a fully-customizable five-piece kit that features a large, 6mm bore Yankauer which is designed to reduce clogging for reliable and efficient particulate removal.

## OrthoVAC™ Orthopedic Yankauer Kit

Ref. No.

Large Bore Yankauer, 11/32" tubing, two OrthoVAC™ adapters, one Pour Spout Adapter, does not include the canister.....	0035001
--	---------

## Big Yank™ Suction System

The world's first truly large bore suction system designed to accommodate large particulate or viscous matter that typically clogs standard suction devices.

- Comes complete with handle, tip, canister connector and tubing
- Available in both bulb and open tip styles
- Available with and without Control Vents

## Bulb Tip Big Yank™ Suction System

Ref. No.

Without Control Vent and 11/32" (9mm) I.D. x 6' (1.8m) Tube and Universal canister connector pre-attached, 10/case.....	0034910U
With Control Vent" and 11/32" (9mm) I.D. x 6' (1.8m) Tube and Universal canister connector pre-attached, 10/case.....	0034920U
Without Control Vent and 11/32" (9mm) I.D. x 10' (3m) Tube and Universal canister connector pre-attached, 10/case.....	0034950U
With Control Vent and 11/32" (9mm) I.D. x 10' (3m) Tube and Universal canister connector pre-attached, 10/case.....	0034960U
Without Control Vent and 11/32" (9mm) I.D. x 10' (3m) Tube and Universal canister connector pre-attached, 10/case.....	0034970U
With Control Vent and 11/32" (9mm) I.D. x 10' (3m) Tube and Universal canister connector pre-attached, 10/case.....	0034980U



OrthoVAC™ Single-Use Suction System

Canister not included



Big Yank™ Suction System

## Frazier Instruments

Frazier instruments are used in open surgical procedures where fine, delicate suctioning is necessary to evacuate fluid and debris from the surgical site. CONMED offers the largest variety of disposable Frazier Instruments in the market today with a broad range of sizes and configurations to accommodate a spectrum of procedures.

*All CONMED Frazier products have these features:*

- Each instrument is supplied with an obturator to facilitate shaping of the shaft and clearing the instrument of obstructions.
- Sterile

### Baron Frazier

- 3, 5, 7 French
- Specifically designed for microsurgery where delicate touch is paramount
- Malleable, stainless steel shaft with obturator
- Disc-shaped handle provides delicate touch and balance for microsurgery
- Special, lightweight and flexible tubing is available to enhance surgeon's dexterity

	Ref. No.
3 French Frazier with Vent, 50/case .....	0031030
5 French Frazier with Vent, 50/case .....	0031050
7 French Frazier with Vent, 50/case .....	0031070
Frazier Connecting Tubing 2' (.64m) Long, 5mm I.D 50/case .....	0031000

### Standard Fraziers

- 8, 10, 12 and 18 French
- Malleable, aluminum shaft resists flaking
- Control vents allow suction control (18 French is non-vented)
- Full size handle provides a positive grip

	Ref. No.
8 French Frazier with Vent, 50/case .....	0033080
10 French Frazier with Vent, 50/case .....	0033100
12 French Frazier with Vent, 50/case .....	0033120
18 French Frazier, 50/case .....	0033180

### Soft Tip Frazier

- Soft tip is made of PVC and helps reduce trauma to delicate tissue
- I.D. of the end of the PVC tip is 4.5 French versus the shaft I.D. of 10 French
- Ideal for vascular or neurosurgical procedures where vessel trauma is a concern
- Malleable, aluminum shaft resists flaking
- Full size handle provides a positive grip and has control vent

	Ref. No.
Soft Tip Frazier with Vent, (10 FR), 20/case .....	0031100

### Olive Tip Frazier

- Olive tip has smooth side eyes that reduce chance for any tissue trauma
- I.D. of shaft is 10 French
- Can be used as a Pediatric Yankauer
- Ideal for suctioning and dissecting soft tissue
- Malleable, aluminum shaft to resist flaking
- Full size handle provides a positive grip and has control vent


	Ref. No.
Olive Tip Frazier with Vent (10 FR), 50/case .....	0033110




0031050




0031000



0033100



0031100



0033110



0035040

Poole Instrument

The Poole instrument is designed to evacuate pooled blood, fluid and debris during deep abdominal surgeries and cesarean sections.

- Versatile with three positions that quickly converts from gentle sump action to pinpoint suctioning capabilities
- Minimizes tissue grab with its protective sheath
- Sheath has 132 large eyes to provide efficient and rapid suction
- Available with select tubing pre-attached
- Sterile

	Ref. No.
Poole Suction Instrument, 50/case .....	0035040
Poole Suction Instrument with 6' (1.8m) Tube pre-attached, 20/case.....	0035050
Poole Suction Instrument with 10' (3m) Tube pre-attached, 20/case.....	0035070



0035040

Sigmoid Instrument

The Sigmoid suction instrument is primarily used during sigmoidoscopy and colonoscopy procedures to evacuate blood, fluid and debris.

- Designed for use with a rigid sigmoidoscope
- Also useful for suctioning the femur during hip replacement procedures
- 18 French, 30cm
- On/Off suction control to minimize tissue grab
- Available with select tubing pre-attached
- Sterile

	Ref. No.
Sigmoid Suction Instrument (18 FR, 30cm), 50/case.....	0033040
Sigmoid Suction with 6' (1.8m) Tube pre-attached (18FR, 30cm), 20/case.....	0033050

CONMED also offers a broad variety of these products in bulk, non-sterile configurations.

## Suction Connecting Tubing


Suction Connecting Tubing serves as the conduit from which suction instruments evacuate fluid and debris into the vacuum canister and source. CONMED's Suction Connecting Tubing is available in Premium Connected, and Economy (100', 30.5m rolls) styles. In addition, a wide range of sizes and configurations allow for efficient and cost-effective setup.

### Premium Connected

- Versatile connectors provide a secure fit
- Strong to provide high collapse resistance
- Soft, pliable and low memory for ease of use
- Available with male connectors
- Variety of pre-cut lengths from 1 1/2" (.46m) to 25' (7.6m)
- Three I.D. sizes — 3/16" (4.8mm), 1/4" (6.4mm) & 9/32" (7.1mm)
- Sterile (unless otherwise indicated)

	Ref. No.
3/16" (4.8mm) I.D. x 1 1/2' (.46m) Long, 50/case .....	0036470
3/16" (4.8mm) I.D. x 1 1/2' (.46m) Long, clean, non-sterile, 50/case .....	0048200
3/16" (4.8mm) I.D. x 3' (.9m) Long, 50/case .....	0037850
3/16" (4.8mm) I.D. x 6' (1.8m) Long with Male connector, 50/case .....	0034280
3/16" (4.8mm) I.D. x 6' (1.8m) Long, 50/case .....	0036480
3/16" (4.8mm) I.D. x 6' (1.8m) Long with Male & Female connectors, 50/case .....	0036580
3/16" (4.8mm) I.D. x 10' (3m) Long with Male connector, 50/case .....	0034310
3/16" (4.8mm) I.D. x 10' (3m) Long, 50/case .....	0036770
3/16" (4.8mm) I.D. x 12' (3.7m) Long with Male connector, 20/case .....	0034340
3/16" (4.8mm) I.D. x 12' (3.7m) Long, 20/case .....	0036560
3/16" (4.8mm) I.D. x 20' (6.1m) Long, 20/case .....	0036570
1/4" (6.4mm) I.D. x 6' (1.8m) Long with Male connector, 50/case .....	0034290
1/4" (6.4mm) I.D. x 6' (1.8m) Long, 50/case .....	0036280
1/4" (6.4mm) I.D. x 6' (1.8m) Long with Male & Female connectors, 50/case .....	0037860
1/4" (6.4mm) I.D. x 10' (3m) Long with Male connector, 50/case .....	0034320
1/4" (6.4mm) I.D. x 10' (3m) Long, 50/case .....	0036290
1/4" (6.4mm) I.D. x 12' (3.7m) Long with Male connector, 20/case .....	0034350
1/4" (6.4mm) I.D. x 12' (3.7m) Long, 20/case .....	0036550
1/4" (6.4mm) I.D. x 20' (6.1m) Long, 20/case .....	0036540
1/4" (6.4mm) I.D. x 25' (7.6m) Long, 20/case .....	0036530
9/32" (7.1mm) I.D. x 6' (1.8m) Long with Male connector, 50/case .....	0034300
9/32" (7.1mm) I.D. x 6' (1.8m) Long, 50/case .....	0037040
9/32" (7.1mm) I.D. x 9' (2.7m) Long, 20/case .....	0037050
9/32" (7.1mm) I.D. x 12' (3.7m) Long with Male connector, 20/case .....	0034360
9/32" (7.1mm) I.D. x 12' (3.7m) Long, 20/case .....	0037060
9/32" (7.1mm) I.D. x 20' (6.1m) Long, 20/case .....	0037070

CONMED also offers a broad variety of these products in bulk, non-sterile configurations.



Suction Connecting Tubing



0048260



9422690

Economy Roll (“Bubble”)

- 100 ft. (30.5m) long rolls with integral blister (bubble) connectors every 3 ft. (.9m)
- Three I.D. sizes — 3/16" (4.8mm), 1/4" (6.4mm) & 9/32" (7.1mm)
- Clean, non-sterile

	Ref. No.
3/16" (4.8mm) I.D. x 100' (30m) Roll, 1/case .....	0048250
1/4" (6.4mm) I.D. x 100' (30m) Roll, 1/case .....	0048260
9/32" (7.1mm) I.D. x 100' (30m) Roll, 1/case .....	0048270

Male Tubing Connectors

- 2 1/8" connectors used to connect tubing to each other
- Clean, non-sterile

	Ref. No.
3/16" (4.8mm) I.D. x 2 1/8" Long, 250/case .....	9422690



## Veni-Gard® I.V. Stabilization Dressings

The CONMED Veni-Gard® is designed to provide the ultimate in both protection and stabilization for peripheral I.V.'s and VAD's. The Veni-Gard is intended to stabilize the catheter as an anchor providing securement assurance and an aggressive protection barrier.

Key features of the Veni-Gard:

- Aggressive adhesive foam border to assist in decreasing the chance of runaways or infections caused by pull out
- Water-resistant, allowing patients to maintain ADL's (Active Daily Life)
- High MVTR (Moisture Vapor Transmission Rate)
- Sterile
- Tape strips which are stretchable for added stabilization of infusion lines

### Veni-Gard® TM

Ref. No.

Universal IV dressing system. Excellent in peripheral line securement.  
Complete with accessory tapes for added stabilization.

100 pouches/box, 5 boxes/case .....705-4431

705-4431



### Veni-Gard® TM JR.

Ref. No

Ideal for Pediatric use. Small limb IV Dressing system.  
Accessory tapes provided for extra stabilization in the active patient.

100 pouches/box, 5 boxes/case .....730-4432

730-4432



### Veni-Gard® SP

Ref. No

Special part IV dressing system conforms to all IV contours.

Ideal for long term securement. 100 pouches/box, 5 boxes/case .....710-2730

710-2730



### Veni-Gard® ML

Ref. No

Multi-lumen catheter securement device. Ideal for jugular/central line IV's.  
Large elongated window to provide visualization of central access site.

25 pouches/box, 6 boxes/case .....750-4181

750-4181





740-1440



745-1441



740-1000



745-1000



701-0510

## Veni-Gard® AP

Ref. No.

All purpose IV dressing system.

Ideal for PICC line securement and fragile skin patients.

100 pouches/box, 5 boxes /case .....740-1440

## Veni-Gard® TPN

Ref. No.

Low profile bordered dressing with accessory tape strips.

Ideal for securing central lines both jugular and/or femoral.

25 pouches/box, 6 boxes /case.....745-1441

## NeoDerm®

Ref. No.

2"x 3", Adhesive Foam Border Transparent Dressing

Wide bordered all purpose securement device that offers extra adhesive properties.

100 pouches/box, 5 boxes /case.....740-1000

## NeoDerm® Plus

Ref. No.

4"x 5", Adhesive Foam Border Transparent Dressing

Large adhesive foam border. Ideal for securing epidural catheters.

Accessory tapes for added security.

100 pouches/box, 5 boxes /case.....745-1000

## Strip-N-Tape®

Ref. No.

All purpose foam tape strips for securing IV cannulae, dressings, etc.

Packaged non-sterile. 5000/case .....701-0510

CONMED also offers a broad variety of these products in bulk, non-sterile formats.



## Armboards

Key features of the CONMED's Armboards:

- Prevents "positional" flow rate changes
- Reduces I.V. catheter irritations/infiltration
- Infant, pediatric and adult sizes
- Disposable soft paper covers included
- Non-sterile

Ref. No.

Infant size 5.25"x 2.25" with covers; 60/case.....810-L

Pediatric size 7"x 3" with covers; 60/case .....910-L

Adult size 10.5" x 4" with covers; 80/case ..... 1010-L

Adult size armboards only; 80/case.....1011-L

Adult size armboard covers only; 250/case..... 1012



810-L



910-L



1010-L



S2V-20



S2-12



S2V-20 N



S2-12 N

## STAT 2® Gravity Flow Controller

The CONMED STAT 2® IV Gravity Flow Control devices are designed to control IV fluid and medications when electronic infusion monitoring is not medically necessary. The STAT 2 product line offers convenience and safety to both patient and healthcare provider.

Key features of the STAT 2 Controllers:

- One-handed operation
- Ideal for routine hydration and antibiotic therapy
- 20 and 60 drop primary and extension sets have universal vented drip chamber with 15 micron filter and spike, slide clamp, in-line back-check valve, 2 non-latex split septum "Y" sites, a distal luer/slip lock connector, 84" length.
- Security window minimizes accidental manipulation of dial face
- 12" extension sets available
- Needle-free versions
- Sterile

### STAT 2® Controller

Ref. No.

STAT 2 Controller ..... S2V-20  
20 drop/ml, 84" primary controller; 48/case

### STAT 2® Controller

Ref. No.

60 drop/ml, 84" primary controller; 48/case ..... S2V-60

### STAT 2® Controller Extension Set

Ref. No.

12" length extension set controller, latex free split septum "Y" site,  
distal luer/slip lock connector; 60/case ..... S2-12

### STAT 2® Needle-Free Controller — 20 Drop

Ref. No.

20 drop/ml, 84" primary set controller  
with 2 swabbable valve "Y" sites; 48/case ..... S2V-20 N

### STAT 2® Needle-Free Controller — 60 Drop

Ref. No.

60 drop/ml, 84" primary set controller  
with 2 swabbable valve "Y" sites; 48/case ..... S2V-60 N

### STAT 2® Needle-Free Extension Set

Ref. No.

12" length extension set controller with 1 swabbable valve "Y" site  
and distal luer/slip lock connector; 60/case ..... S2-12 N

## STAT 2® Pumpette Gravity Flow Controller

The CONMED STAT 2® IV Gravity Flow Control devices are designed to control IV fluid and medications when electronic infusion monitoring is not medically necessary. The STAT 2® product line offers convenience and safety to both patient and healthcare provider.

Key features of the STAT 2 Pumpette Controllers are:

- Compensation for patient positional changes and IV fluid volumetric changes
- Ease of use with one handed operation
- Ideal for routine hydration and antibiotic therapy
- 20 and 60 drop primary sets have universal vented drip chamber with 15 micron filter and spike, slide clamp, in-line back-check valve, 2 non-latex split septum "Y" sites, a distal luer/slip lock connector, 84" length.
- Security window minimizes accidental manipulation of dial face
- 12" extension sets available
- Needle-free versions
- Sterile

<b>STAT 2® Pumpette Controller — 20 Drop</b>	Ref. No.
20 drop/ml, 84" compensating primary controller; 48/case .....	P-S2V-20

<b>STAT 2® Pumpette Controller — 60 Drop</b>	Ref. No.
60 drop/ml, 84" compensating primary controller; 48/case .....	P-S2V-60

<b>STAT 2® Pumpette Controller Extension Set</b>	Ref. No.
12" length compensating extension set controller, latex free split septum "Y" site, distal luer/slip lock connector; 60/case .....	P-S2-12



P-S2V-20



P-S2-12



P-S2V-20 N

<u>STAT 2° Pumpette Needle-Free Controller — 20 Drop</u>	<u>Ref. No.</u>
20 drop/ml, 84" compensating primary set controller with 2 swabbable valve "Y" sites; 48/case .....	P-S2V-20 N



P-S2V-60 N

<u>STAT 2° Pumpette Needle-Free Controller — 60 Drop</u>	<u>Ref. No.</u>
60 drop/ml, 84" compensating primary set controller with 2 swabbable valve "Y" sites; 48/case .....	P-S2V-60 N

<u>STAT 2° Pumpette Needle-Free Extension Set</u>	<u>Ref. No.</u>
12" length compensating extension set controller with 1 swabbable valve "Y" site and distal luer/slip lock connector; 60/case .....	P-S2-12 N





## Cardiology - Critical Care Product Catalog

525 French Road, Utica, NY 13502

Customer Service: 1-800-448-6506

International Sales: +1(315) 797-8375

Fax: 1-800-438-3051

Website: [CONMED.com](http://CONMED.com)

Email: [info@mail.CONMED.com](mailto:info@mail.CONMED.com)